

2005

Is plasminogen deployed as a virulence factor by Northern Territory group A streptococcal isolates during invasive disease?

Fiona Catherine McKay
University of Wollongong

Follow this and additional works at: <https://ro.uow.edu.au/theses>

University of Wollongong

Copyright Warning

You may print or download ONE copy of this document for the purpose of your own research or study. The University does not authorise you to copy, communicate or otherwise make available electronically to any other person any copyright material contained on this site.

You are reminded of the following: This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part of this work may be reproduced by any process, nor may any other exclusive right be exercised, without the permission of the author. Copyright owners are entitled to take legal action against persons who infringe their copyright. A reproduction of material that is protected by copyright may be a copyright infringement. A court may impose penalties and award damages in relation to offences and infringements relating to copyright material.

Higher penalties may apply, and higher damages may be awarded, for offences and infringements involving the conversion of material into digital or electronic form.

Unless otherwise indicated, the views expressed in this thesis are those of the author and do not necessarily represent the views of the University of Wollongong.

Recommended Citation

McKay, Fiona Catherine, Is plasminogen deployed as a virulence factor by Northern Territory group A streptococcal isolates during invasive disease? PhD thesis, School of Biological Sciences, University of Wollongong, 2005. <http://ro.uow.edu.au/theses/480>

NOTE

This online version of the thesis may have different page formatting and pagination from the paper copy held in the University of Wollongong Library.

UNIVERSITY OF WOLLONGONG

COPYRIGHT WARNING

You may print or download ONE copy of this document for the purpose of your own research or study. The University does not authorise you to copy, communicate or otherwise make available electronically to any other person any copyright material contained on this site. You are reminded of the following:

Copyright owners are entitled to take legal action against persons who infringe their copyright. A reproduction of material that is protected by copyright may be a copyright infringement. A court may impose penalties and award damages in relation to offences and infringements relating to copyright material. Higher penalties may apply, and higher damages may be awarded, for offences and infringements involving the conversion of material into digital or electronic form.

**Is plasminogen deployed as a virulence factor
by Northern Territory group A streptococcal isolates
during invasive disease?**

A thesis submitted in partial fulfilment of the requirements for the award of the degree

DOCTOR OF PHILOSOPHY

from

UNIVERSITY OF WOLLONGONG

by

Fiona Catherine McKay (BSc Hons)

School of Biological Sciences

2005

Certification

I, Fiona C. McKay, declare that this thesis, submitted in partial fulfilment of the requirements for the award of Doctor of Philosophy in the School of Biological Sciences, University of Wollongong, is entirely my own work unless otherwise referenced or acknowledged. The document has not been submitted for qualifications at any other academic institution.

Fiona C. McKay

22 December 2005

Table of Contents

<i>List of Publications</i>	<i>ix</i>
<i>List of Tables</i>	<i>x</i>
<i>List of Figures</i>	<i>xi</i>
<i>List of Abbreviations</i>	<i>xiii</i>
<i>Acknowledgements</i>	<i>xvii</i>
<i>Abstract</i>	<i>xviii</i>

CHAPTER 1 REVIEW OF THE LITERATURE1

1.1 GROUP A STREPTOCOCCAL INFECTION	2
1.1.1 Group A Streptococci (GAS)	2
1.1.2 GAS diseases	3
1.1.3 Epidemiology of GAS disease worldwide.....	3
1.1.4 Epidemiology of GAS disease in developing nations and in the Northern Territory of Australia	6
1.1.5 GAS virulence factors.....	7
1.1.6 Host factors predisposing to GAS disease	9
1.2 PLASMINOGEN.....	10
1.2.1 Plasminogen and fibrinolysis	10
1.2.2 Plasminogen structure.....	10
1.2.3 Plasmin specificity.....	14
1.2.4 Plasminogen activation and its regulation in vivo	15
1.3 PLASMINOGEN AND GAS	19
1.3.1 Direct plasminogen binding: GAS plasminogen receptors.....	19
1.3.1.1 Glyceraldehyde-3-phosphate dehydrogenase (GAPDH/Plr/SDH)	19

1.3.1.2	Streptococcal enolase (SEN)	21
1.3.1.3	Plasminogen-binding group A streptococcal M-like protein (PAM) ..	22
1.3.2	<i>Streptokinase</i>	24
1.3.2.1	Streptokinase structure, allelic variation and expression	24
1.3.2.2	Plasminogen activation by streptokinase	25
1.3.3	<i>Fibrinogen-streptokinase-dependent (FSD) plasminogen binding</i>	26
1.3.3.1	Fibrinogen receptors	26
1.3.3.2	Fibrinogen-streptokinase-dependent plasmin acquisition	27
1.3.4	<i>Interaction of SpeB with the GAS plasminogen system</i>	28
1.3.4.1	SpeB structure, specificity and expression	28
1.3.4.2	SpeB and GAS virulence	30
1.3.5	<i>Role of plasminogen activation in GAS virulence</i>	31
1.4	RATIONALE AND AIMS OF THIS STUDY	35
 CHAPTER 2 PLASMINOGEN BINDING BY GROUP A STREPTOCOCCAL ISOLATES FROM THE NORTHERN TERRITORY OF AUSTRALIA		36
2.1	INTRODUCTION	37
2.2	MATERIALS AND METHODS	39
2.2.1	<i>Protein Methods</i>	39
2.2.1.1	SDS-PAGE Analysis	39
2.2.1.2	Western Transfer and Immunoblotting	39
2.2.1.3	Enzyme-linked immunosorbent assay (ELISA)	40
2.2.1.4	Determination of protein concentration	41
2.2.1.5	Affinity purification of plasminogen from human plasma	41
2.2.1.6	Plasmin activity assay	43
2.2.1.7	Generation and purification of rabbit polyclonal antibody	43

2.2.1.8	Labelling of proteins with ¹²⁵ I iodine	44
2.2.2	<i>DNA methods</i>	45
2.2.2.1	Polymerase chain reaction (PCR) amplification of DNA	45
2.2.2.2	Agarose gel electrophoresis.....	46
2.2.2.3	DNA sequence analysis.....	46
2.2.2.4	Molecular typing and emm pattern.....	47
2.2.3	<i>GAS assay methods</i>	48
2.2.3.1	Source of GAS isolates.....	48
2.2.3.2	GAS culture	48
2.2.3.3	Extraction of genomic DNA from GAS	48
2.2.3.4	Mutanolysin extraction of streptococcal membrane proteins.....	48
2.2.3.5	GAS plasminogen- and fibrinogen-binding assays	49
2.2.4	<i>Statistical methods</i>	50
2.3	RESULTS.....	51
2.3.1	<i>Clonal diversity of NT GAS isolates</i>	51
2.3.2	<i>Sequence encoding the SEN protein</i>	51
2.3.3	<i>Sequence encoding the PAM protein</i>	51
2.3.4	<i>SEN expression</i>	56
2.3.4.1	Generation of a polyclonal antibody against SEN	56
2.3.4.2	SEN localisation in GAS cell-wall extracts	56
2.3.5	<i>Plasminogen binding by GAS</i>	59
2.3.5.1	Plasminogen purification.....	59
2.3.5.2	Plasminogen binding	61
2.3.5.3	Relationships between fibrinogen and plasminogen binding.....	64
2.4	DISCUSSION.....	66

CHAPTER 3	PLASMINOGEN ACTIVATION AND VIRULENCE OF	
GROUP A STREPTOCOCCAL ISOLATES FROM THE NORTHERN		
TERRITORY OF AUSTRALIA.....		71
3.1	INTRODUCTION.....	72
3.2	MATERIALS AND METHODS.....	75
3.2.1	<i>DNA methods</i>	75
3.2.1.1	DNA amplification and sequence analysis.....	75
3.2.2	<i>GAS assay methods</i>	76
3.2.2.1	Source of GAS isolates.....	76
3.2.2.2	GAS culture	76
3.2.2.3	GAS supernatant speB assays	76
3.2.2.4	GAS supernatant streptokinase assays	77
3.2.2.5	Concentration of supernatant proteins.....	78
3.2.2.6	Plasminogen binding by North American GAS isolates	79
3.2.2.7	Cell-surface plasmin activity assay	79
3.2.3	<i>Infection studies using a human plasminogen transgenic mouse</i>	80
3.2.4	<i>Statistical methods</i>	81
3.3	RESULTS.....	83
3.3.1	<i>Streptokinase secretion by GAS isolates</i>	83
3.3.1.1	Kinetics of streptokinase secretion by GAS isolates.....	83
3.3.1.2	Streptokinase activity in NT isolates.....	83
3.3.1.3	Effect of cysteine protease on streptokinase activity	86
3.3.1.4	Streptokinase protein in GAS supernatants.....	86
3.3.2	<i>Streptokinase allelic variation</i>	87
3.3.2.1	Phylogenetic analysis of streptokinase partial alleles	87

3.3.2.2	Amino acid sequence comparison of ska allelic subclusters	90
3.3.3	<i>SpeB</i> activity of GAS isolates	90
3.3.4	Cell-surface plasmin activity assay	95
3.3.4.1	Assay optimisation	95
3.3.4.2	Cell-surface plasmin acquisition by 30 GAS isolates	100
3.3.4.3	Cell-surface plasmin acquisition by isogenic deletion mutants	102
3.3.5	Correlations between <i>in vitro</i> plasminogen activation parameters	104
3.3.6	Virulence of GAS in the humanised plasminogen transgenic mouse model of infection	107
3.4	DISCUSSION	110
3.4.1	Plasminogen activation by GAS isolates <i>in vitro</i>	110
3.4.1.1	Effect of pam genotype on streptokinase activity and plasmin acquisition	110
3.4.1.2	Model for cell-surface plasminogen activation by GAS isolates according to pam genotype and streptokinase allelic subcluster	120
3.4.1.3	<i>In vitro</i> plasminogen activation and clinical source	121
3.4.1.4	<i>SpeB</i> , clinical source, and cell-surface plasmin acquisition	123
3.4.2	Virulence of GAS isolates in the human plasminogen transgenic mouse model of infection	124
CHAPTER 4 GENERAL DISCUSSION AND FUTURE WORK.....		127
4.1	GENERAL DISCUSSION	128
4.1.1	Summary of the major aims and findings of this study	128
4.1.2	Importance and limitations of the study	129
4.1.3	Therapeutic implications of the current study for NT GAS infection	131
4.2	FUTURE WORK	133

4.2.1	<i>Future animal modelling of NT GAS invasive infection.....</i>	<i>133</i>
4.2.2	<i>Future research questions surrounding GAS-plasminogen activation and its role in virulence.....</i>	<i>135</i>
4.2.3	<i>Final comments</i>	<i>137</i>
REFERENCES		139
APPENDICES		180
APPENDIX 1: BUFFERS AND REACTION MIXTURES		181
APPENDIX 2: GAS CULTURE CONDITIONS FOR STREPTOKINASE SUPERNATANT COLLECTION		187
APPENDIX 3: PUBLICATIONS.....		190

List of publications*

Sanderson-Smith, M.L., McKay, F.C., Ranson, M. and Walker, M.J. (2004) Subversion of the plasminogen activation system by *Streptococcus pyogenes*: mounting evidence to implicate the human protease plasmin in disease processes. *Current Trends in Microbiology* 1: 75-85.

McKay, F. C., McArthur, J. D., Sanderson-Smith, M. L., Gardam, S., Currie, B. J., Sriprakash, K. S., Fagan, P. K., Towers, R. J., Batzloff, M. R., Chhatwal, G. S., Ranson, M. and Walker, M. J. (2004). Plasminogen binding by group A streptococcal isolates from a region of hyperendemicity for streptococcal skin infection and a high incidence of invasive infection, *Infection and Immunity*, 72, 364-70.

Walker, M.J., McArthur, J.D., McKay, F.C, and Ranson, M. (2005) Is plasminogen deployed as a *Streptococcus pyogenes* virulence factor? *Trends in Microbiology*, 13:308-13.

Cole, J.N., McArthur, J.D., McKay, F.C., Sanderson-Smith, M.L., Cork, A.J., Ranson, M., Rohde, M., Itzek, A., Sun, H., Ginsburg, D., Kotb, M., Nizet, V., Chhatwal, G.S. and Walker, M.J. Trigger for group A streptococcal M1T1 invasive disease, *FASEB Journal* (accepted 31 March 2006).

* See Appendix 3

List of Tables

Table 1.1	Classification of group A streptococcal infections.....	4
Table 1.2	Estimates of global burden of GAS disease.....	5
Table 1.3	Established/putative cell-associated GAS virulence factors.....	8
Table 1.4	Established/putative secreted GAS virulence factors.....	8
Table 2.1	Oligonucleotide primers used for analysis of the <i>sen</i> gene.....	46
Table 2.2	Characteristics of the 29 NT GAS isolates.....	52
Table 2.3	Translated DNA sequence encoding the carboxy-terminal end of SEN from 29 NT GAS isolates.....	55
Table 3.1	Oligonucleotide primers used for DNA analysis.....	76
Table 3.2	Effect of cysteine protease inhibition on streptokinase activity of GAS supernatants.....	88
Table 3.3	Translated amino acid sequence of <i>ska</i> partial alleles of GAS isolates encoding the β domain of streptokinase aligned with homologous secondary structural domains of group C streptokinase.....	93
Table 3.4	Unique amino acid residues of streptokinase β domains encoded by <i>ska</i> cluster 2b alleles compared to corresponding residues encoded by <i>ska</i> 1 and 2a subclusters.....	95
Table 3.5	North American clinical isolates of GAS and their isogenic mutants...	104
Table 3.6	Correlations between <i>in vitro</i> plasminogen activation and its putative components measured in this study for 30 GAS isolates.....	107
Table 3.7	Characteristics of the GAS isolates used in infection studies.....	110
Table 3.8	Predicted molecular weights of full-length streptokinase proteins encoded by examples from each of the <i>ska</i> allelic subclusters.....	109

List of Figures

Figure 1.1	Human coagulation and anticoagulation systems.....	11
Figure 1.2	Schematic representation of plasminogen structure, receptor binding and activation.....	12
Figure 1.3	Schematic representation of the GAS plasminogen activation system.....	20
Figure 2.1	Fragment of the <i>sen</i> gene amplified from genomic DNA of a representative subset of NT GAS isolates using primers SENF1 and SENR1 and visualised by agarose gel electrophoresis.....	54
Figure 2.2	Characterisation and purification of a polyclonal antibody raised against a peptide representing the 12 C-terminal amino acid residues of SEN.....	58
Figure 2.3	Detection of SEN in mutanolysin cell wall extracts of the 29 NT GAS isolates.....	59
Figure 2.4	Purification and characterisation of plasminogen from human plasma.....	61
Figure 2.5	¹²⁵ I-plasminogen binding to <i>pam</i> -positive and <i>pam</i> -negative GAS isolates from invasive and uncomplicated infections.....	63
Figure 2.6	Binding of ¹²⁵ I-plasminogen to selected <i>pam</i> -positive and <i>pam</i> -negative GAS isolates under different conditions.....	64
Figure 2.7	Comparison of ¹²⁵ I-plasminogen binding to <i>pam</i> -positive and <i>pam</i> -negative GAS isolates in the presence of streptokinase and fibrinogen with ability of the isolates to bind ¹²⁵ I-fibrinogen or ¹²⁵ I-plasminogen directly.....	66
Figure 3.1	Kinetics of streptokinase secretion by sample NT GAS isolates.....	85

Figure 3.2	Streptokinase activity and protein in supernatants of 30 clinical isolates of GAS.....	86
Figure 3.3	Phylogeny of the β -domain of streptokinase for 29 NT GAS isolates.....	90
Figure 3.4	Expression and activity of secreted SpeB of NT GAS isolates and ALAB49.....	96
Figure 3.5	Substrate specificity and linearity of plasmin assays using a chromogenic substrate.....	98
Figure 3.6	Plasminogen depletion of human plasma by incubation with lysine-sepharose.....	100
Figure 3.7	Optimisation of an assay for cell-surface plasmin acquisition by GAS isolates incubated in human plasma.....	101
Figure 3.8	Cell-surface plasmin acquisition by GAS isolates following incubation in human plasma.....	103
Figure 3.9	Cell-surface plasminogen binding and plasmin acquisition by North American GAS isolates and isogenic <i>ska</i> - and <i>speB</i> -negative mutants.....	105
Figure 3.10	Virulence of GAS isolates in a humanized plasminogen transgenic model of infection.....	111
Figure 3.11	Crystal structure of the β domain of group C streptokinase showing homologous residues unique to <i>ska</i> 2b alleles.....	118
Figure 3.12	Schematic diagram depicting an integrated model of cell surface plasmin acquisition by various GAS isolates.....	119

List of Abbreviations

A ₆₀₀ , A ₄₀₅	absorbance measured at 600 or 405 nm respectively
ANOVA	analysis of variance
APSGN	acute post-streptococcal glomerulonephritis
bp	base pairs
°C	degrees Celcius
CD	cluster of differentiation
cfu	colony-forming units
cpm	counts per min
C-terminal	carboxy-terminal
DNA	deoxyribonucleic acid
DTT	dithiothreitol
E64	trans-epoxysuccinyl-l-leucylamido-(4-guanidino)butane
εACA	ε-aminocaproic acid
ECM	extracellular matrix
EDTA	ethylenediamine tetra-acetic acid
ELISA	enzyme-linked immunosorbent assay
Fbp54	fibronectin-binding protein 54
Fg	fibrinogen
Fg-R	fibrinogen receptor
FSD	fibrinogen-streptokinase dependent
<i>g</i>	units of force
GAPDH	glyceraldehyde-3-phosphate dehydrogenase
GAS	group A streptococcus
Glu-plasminogen	native plasminogen bearing an amino-terminal glutamine residue

h	hour
HLA	human leukocyte antigen
IgG	immunoglobulin G
Inv	invasive
K1-5	kringles 1-5
kb	kilobases
kDa	kilodaltons
KLH	keyhole limpet hemocyanin
l	litres
Lys-plasminogen	plasminogen bearing an amino-terminal lysine residue
m	milli
μ	micro
Mga	multiple gene regulator in group A streptococci
min	minutes
M	molar
m	metres
n	nano
NPBP	nephritis plasmin binding protein
N-terminal	amino-terminal
NT	Northern Territory (of Australia)
NTP	N-terminal peptide
PAI-1/-2	plasminogen activator-inhibitor type 1/2
PAM	plasminogen-binding group A streptococcal M-like protein
PBS	phosphate-buffered saline
PCR	polymerase chain reaction

PD	protease domain
PINT	phosphate isotonic sodium buffer containing Tween
Plg	plasminogen
Plr	plasmin receptor
Plg-R	plasminogen receptor
PMSF	phenylmethylsulfonyl fluoride
PPACK	D-Phe-Pro-Arg-chloromethylketone dihydrochloride
protein GRAB	protein G-related α_2 -macroglobulin-binding protein
PVDF	polyvinyl difluoride
RT	room temperature
s	seconds
SCID	severe combined immunodeficient
SD	standard deviation
SDH	streptococcal dehydrogenase
SDS-PAGE	sodium dodecyl sulfate polyacrylamide gel electrophoresis
SEM	standard error of the mean
SEN	streptococcal surface enolase
<i>ska</i>	streptokinase gene
SpeB	streptococcal pyrogenic exotoxin
STSS	streptococcal toxic shock syndrome
TAE	Tris acetate-EDTA
TBS(T)	Tris-buffered saline (containing Tween)
TE	Tris-EDTA
TEA	tranexamic acid
THY	Todd-Hewitt broth containing 1% yeast

tPA	tissue plasminogen activator
uncomp	uncomplicated infection
uPA	urokinase plasminogen activator
uPAR	urokinase plasminogen activator receptor
UV	ultraviolet
V	volts
<i>vir</i>	virulence (regulon)
V _{max}	maximum reaction velocity
wt	wildtype
w/v	weight per volume

Acknowledgements

I would like to thank the following people, without whose help this work would not have been possible:

Our international collaborators, Prof David Ginsburg, Dr Hongmin Sun, Prof Ulf Sjobring, Dr Ulrika Ringdahl, Prof Malak Kotb, Prof Deborah Bessen, Prof Singh Chhatwal and Dr Andreas Itzek for their assistance with technical aspects of this project and for providing GAS isolates and transgenic mice.

Our Australian collaborators, Dr Peter Fagan, Dr Rebecca Towers, Prof Bart Currie, microbiology staff of Royal Darwin and Alice Springs Hospitals and Assoc Prof Kadaba Sriprakash for advice, provision of GAS isolates and *emm* typing. To Prof Ken Russell for expert and patient statistical assistance.

My friends in Biological Sciences at Wollongong and more recently Immunology at Westmead, for your friendship, help and for all the laughs. Special thanks to Martina Sanderson-Smith and Dr Jason McArthur – major technical advisors and intellectual muses on this project; and great mates while I was juggling life and work in two cities – you went above and beyond the call and I am eternally grateful.

My flatmates Tam, Jase, Mook, Daz, Chris and Dee for cohabiting with this tumultuous PhD and for keeping me sane and smiling.

My wonderful supervisors Assoc Prof Marie Ranson and Prof Mark Walker for your intellectual guidance, moral support, patience and understanding, for hosting great parties and for always helping me see the light at the end of the tunnel. I will miss your mentorship but hope to enjoy many good bottles of wine with you into the future.

My dear friends Tam, Gill, Chris, Elise, Fares, Kara, Teresa, Dave, Jase and Jase for coffee, dinners and moral support; and Maryjane, Martina and Adam for sharing all the highs and lows and being the best mates a girl could ever ask for.

My family; to the ever sunny Murphys and Arthurs, thanks for your encouragement, love and for understanding all the times I was attached to a biosafety hood instead of socialising. To Jen for looking out for me throughout this PhD and understanding me better than anyone. To Nan and Grandma for your care and love and Nan for your patience with my answering machine. To Mum and Dad for loving and supporting me regardless, providing glasses of wine, dinners and tissues during those endless weekends of experimental difficulties, and enduring a part-time house guest coming and going at ungodly hours. To Dan for your love, patience, optimism and irrepressible good humour – the last four years have been not only my most hardworking but also the happiest of my life.

Abstract

Group A streptococcal (*S. pyogenes*; GAS) infection is endemic in the Northern Territory of Australia, and the rates of invasive GAS disease and post-infection sequelae are among the highest reported in the world. Plasminogen is a potent human protease sequestered to the GAS cell-surface by plasminogen and fibrinogen receptors and activated by GAS streptokinase and host plasminogen activators. The critical role of plasminogen in GAS invasion was recently demonstrated in a human plasminogen transgenic mouse model of infection.

The aim of this study was to determine whether plasminogen is deployed as a virulence factor in invasive GAS disease, with particular reference to the Northern Territory of Australia. This question was first approached from an epidemiological perspective, comparing Northern Territory GAS isolates from invasive infections with those from uncomplicated infections for their interaction with the plasminogen system. Plasminogen binding; plasminogen receptor expression and genetic variation; fibrinogen binding; streptokinase expression, activity and genetic variation; streptococcal pyrogenic exotoxin B (SpeB) expression and activity; and acquisition of cell-surface plasmin in human plasma were characterised for 29 GAS isolates of known clinical origin from the Northern Territory. The second approach to determining the role of plasminogen in invasive disease in the Northern Territory was to investigate GAS infection using a human plasminogen transgenic mouse model. A subset of Northern Territory GAS isolates selected for different *in vitro* plasminogen activation characteristics was tested for virulence in this model.

This study revealed that Northern Territory GAS isolates from invasive disease cases acquire more plasminogen than isolates from uncomplicated infections, however they do not produce more streptokinase nor acquire more cell-surface plasmin after incubation in human plasma *in vitro*. Presence of the gene for the plasminogen-binding group A streptococcal M-like protein (PAM) conferred upon GAS isolates a strikingly different profile of interaction with plasminogen, characterised by higher plasminogen binding and plasmin acquisition in plasma. Differences in the catalytic specificity of streptokinase secreted by *pam*-positive and *pam*-negative isolates were identified and their allelic determinants investigated. A new model of GAS cell-surface plasminogen activation is proposed for *pam*-positive isolates. To characterise the role of streptokinase and the cysteine protease SpeB in acquisition of cell-surface plasmin activity in human plasma, such acquisition was compared in GAS deletion mutants for genes encoding these proteins and the corresponding wildtype strains. The dramatic reduction of GAS cell-surface plasmin activity by SpeB may significantly disable GAS invasive potential. Infection studies in the human plasminogen transgenic mouse model revealed the critical role of plasminogen in virulence of some Northern Territory isolates, however *in vitro* plasminogen activation characteristics do not predict clinical phenotype nor virulence in the transgenic mouse model. The results suggest an important and complex interaction between plasminogen and other host and/or bacterial factors in establishing invasive GAS infection in the Northern Territory of Australia.